SEQUENCE LISTING

```
<110> O'CONNOR, MARK J.
      ZIMMERMAN, HOLGER
<120> POLYPEPTIDES FROM CREB BINDING PROTEIN AND RELATED PROTEIN P300 FOR USE IN
      TRANSCRIPTIONAL REGULATION
<130> 117-328
<140> US 09/701,080
<141> 2001-02-27
<150> GB 9811303.8
<151> 1998-05-26
<150> GB 9900157.0
<151> 1999-01-05
<160> 36
<170> PatentIn Ver. 2.1
<210> 1
<211> 13
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence/derived from E1A
<400> 1
Val Asn Glu Phe Phe Pro Glu Ser Leu Ale Leu Ala Ala
 1
<210> 2
<211> 11
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:derived from E1A
<400> 2
Val Asn Glu Phe Phe Pro Ala Ser Ala Ile Leu
<210> 3
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from E1A
```

```
<400> 3
Val Asn Glu Phe Ala Pro Ala Ser Ala Ile Ala
<210> 4
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from p53
<400> 4
Ser Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro
 1
<210> 5
<211> 13
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: derived from E2F
<400> 5
Phe Asp Cys Asp Phe Gly Asp Leu Thr Pro Leu Asp Phe
<210> 6
<211> 19
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequénce:derived from Mdm-2
<400> 6
Lys Lys Leu Lys Lys Arg Asn Lys Pro Cys Pro Val Cys Arg Gln Pro
                                      10
Ile Gln Met
<210> 7
<211> 19
<212> PRT
<213> Artificial Sequence,
<220>
<223> Description of Artificial Sequence:derived from CBP
<400> 7
Gly Cys Lys Arg Lys /Thr Asn Gly Gly Cys Pro Val Cys Lys Gln Leu
  1
Ile Ala Leu
```

```
<210> 8
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from E1A
Val Asn Glu Phe Phe Pro Glu Ser Leu Ile Leu Ala Ala
<210> 9
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from p53
<400> 9
Ser Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro
<210> 10
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from E2F
Phe Asp Cys Asp Phe Gly Asp Leu Thr Pro Leu Asp Phe
<210> 11
<211> 13
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: derived from TFIIB
<400> 11
Met Met Asn Ala Phe Lys Glu Ile Thr Thr Met Ala Asp
<210> 12
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from YY1
<400> 12
```

```
Ala Glu Asp Gly Phe Glu Asp Gln Ile Leu Ile Pro Val
                                      10
  1
<210> 13
<211> 13
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: derived from YY1
<400> 13
Cys Thr Lys Met Phe Arg Asp Asn Ser Ala Met Arg Lys
<210> 14
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from YY1
<400> 14
Cys Gly Lys Ala Phe Val Glu Ser Ser Lys Leu Lys Arg
                                      10 ·
<210> 15
<211> 13
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: derived from MyoD
<400> 15
Thr Thr Asp Asp Phe Tyr Asp Asp Pro Cys Phe Asp Ser
                                      10
<210> 16
<211> 19
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from CBP
<400> 16
Gly Cys Lys Arg Lys Thr Asn Gly Gly Cys Pro Val Cys Lys Gln Leu
                  5
Ile Ala Leu
<210> 17
<211> 19
<212> PRT
<213> Artificial Sequence
```

```
<223> Description of Artificial Sequence: derived from p300
<400> 17
Gly Cys Lys Arg Lys Thr Asn Gly Gly Cys Pro Ile Cys Lys Gln Leu
Ile Ala Leu
<210> 18
<211> 151
<212> PRT
<213> Human papillomavirus
<400> 18
Met Phe Gln Asp Pro Gln Glu Arg Pro Arg Lys Leu Pro Gln Ley Cys
                                      10
Thr Glu Leu Gln Thr Thr Ile His Asp Ile Ile Leu Glu Cys,
                                                          Val Tyr
Cys Lys Gln Gln Leu Leu Arg Arg Glu Val Tyr Asp Phe Ala Phe Arg
Asp Leu Cys Ile Val Tyr Arg Asp Gly Asn Pro Tyr Ala Val Cys Asp
                          55 '
Lys Cys Leu Lys Phe Tyr Ser Lys Tyr Ser Glu Tyr Arg His Tyr Cys
                      70
Tyr Ser Leu Tyr Gly Thr Thr Leu Glu Gln Gln Tyr Asn Lys Pro Leu
Cys Asp Leu Leu Ile Arg Cys Ile Asn Cys GAn Lys Pro Leu Cys Pro
                                 105
Glu Glu Lys Gln Arg His Leu Asp Lys Lys Gln Arg Phe His Asn Ile
        115
                             120
                                                  125
Arg Gly Arg Trp Thr Gly Arg Cys Met/Ser Cys Cys Arg Ser Ser Arg
                         135
                                              140
Thr Arg Arg Glu Thr Gln Leu
145
                     150
<210> 19
<211> 49
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: polylinker of plasmid pMALP
\verb"ggatccgtcg" acctcgagcc" \verb"cgggctgcag" aagcttgatt" gattagctt"
                                                                     49
```

```
<210> 20
<211> 13
<212> PRT
<213> Artificial Sequence
·<220>
<221> VARIANT
<222> (1)
<223> Xaa represents Lys or Arg
<220>
<221> VARIANT
<222> (2)
<223> Xaa represents Lys or Arg
<220>
<221> VARIANT
<222> (3)
<223> Xaa represents any amino acid
<220>
 <221> VARIANT
 <222> (5)
<223> Xaa represents any amino acid
 <220>
 <221> VARIANT
 <222> (6)
 <223> Xaa represents any amino acid
<220>
 <221> VARIANT
 <222> (9)
 <223> Xaa is Val or Ile
 <220>
 <221> VARIANT
 <222> (11)
 <223> Xaa represents Lys or Arg/
 <220>
 <221> VARIANT
 <222> (12)
 <223> Xaa represents any amino acid
 <223> Description of Arrificial Sequence: consensus sequence of transcriptional
 adaptor
       motif (TRAM)
 <400> 20
 Xaa Xaa Xaa Asn Xaa/ Xaa Cys Pro Xaa Cys Xaa Xaa
 <210> 21
 <211> 13
 <212> PRT
```

```
<213> Artificial Sequence
<220>
<221> VARIANT
<222> (1)
<223> Xaa represents Lys or Arg
<220>
<221> VARIANT
<222> (2)
<223> Xaa represents Lys or Arg
<220>
<221> VARIANT
<222> (3)
<223> Xaa represents any amino acid
<220>
<221> VARIANT
<222> (5)
<223> Xaa represents any amino acid
<220>
<221> VARIANT
<222> (6)
<223> Xaa represents any amino acid
<220>
<221> VARIANT
<222> (9)
<223> Xaa represents Val or Ile
<220>
<221> VARIANT
<222> (11)
<223> where Xaa represents Lys or/Arg
<220>
<221> VARIANT
<222> (12)
<223> Xaa represents any amino acid
<220>
<223> Description of Artjficial Sequence:consensus sequence of transcriptional
adaptor
      motif (TRAM)
<400> 21
Xaa Xaa Xaa Asn Xaa Xaa Cys Pro Xaa Cys Xaa Xaa Ile
                                      10
<210> 22
<211> 7
<212> PRT
<213> Artificial Sequence
```

.

```
<220>
<221> VARIANT
<222> (2)
<223> Xaa represents any amino acid
<220>
<221> VARIANT
<222> (3)
<223> Xaa represents Glu or Asp
<220>
<221> VARIANT
<222> (4)..(6)
<223> Xaa represents any amino acid
<223> Description of Artificial Sequence: consensus/sequence of Transcriptional
interaction motif(TRIM)
<400> 22
Phe Xaa Xaa Xaa Xaa Leu
<210> 23
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: derived from E1A
<400> 23
Phe Pro Glu Ser Leu Ile Leu
<210> 24
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from p53
<400> 24
Phe Ser Asp Leu Trp Lys/Leu
<210> 25
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: derived from TFIIB
<400> 25
Phe Lys Glu Vie Thr Thr Met
```

```
<210> 26
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:derived from YY1
<400> 26
Phe Glu Asp Gln Ile Leu Ile
 1
                  5
<210> 27
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:derived from YY1
<400> 27
Phe Arg Asp Asn Ser Ala Met
<210> 28
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Seguence: derived from YY1
<400> 28
Phe Val Glu Ser Ser Lys Leu
<210> 29
<211> 7
<212> PRT
<213> Artificial Sequencé
<220>
<223> Description of Artificial Sequence: derived from MyoD
<400> 29
Phe Tyr Asp Asp Pro Cys Phe
  1
<210> 30
<211> 12
<212> PRT
<213> Artifici/al Sequence
<220>
```

```
<223> Description of Artificial Sequence:derived from CBP
<400> 30
Arg Lys Thr Asn Gly Gly Cys Pro Val Cys Lys Gln
<210> 31
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from CBF
<400> 31
Arg Lys Thr Asn Gly Gly Cys Pro Val Cys Lys Gln Pro Lie
<210> 32
<211> 19
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from CBP
Gly Cys Lys Arg Lys Thr Asn Gly Gly Cys Pro Val Cys Lys Gln Leu
  1
Ile Ala Leu
<210> 33
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: derived from Mdm-2
<400> 33
Lys Lys Arg Asn Lys Pro Cys Pro Val Cys Arg Gln
 1
                                      10
<210> 34
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: derived from p300
<400> 34
Arg Lys Thr Asn Sly Gly Cys Pro Ile Cys Lys Gln
  1
<210> 35
```

.

<211> 14 <212> PRT <213> Artificial Sequence <220> <223> Description of Artificial Sequence:derived from p300 <400> 35 Arg Lys Thr Asn Gly Gly Cys Pro Ile Cys Lys Gln Leu Ile <210> 36 <211> 14 <212> PRT <213> Artificial Sequence <220> <223> Description of Artificial Sequence:derived/from Mdm-2 <400> 36 Lys Lys Arg Asn Lys Pro Cys Pro Val Cys Arg Gin Pro Ile 5